## RECEIVED

CORRES CONTROL INCOMING LTR NO

01030 RF 03

ENC

LT

2001 NOV -6 P 2 52

CORRESPONDENCE STATE OF COLORADO

D	ŲΕ	DAT	Ε
_	CT	AN	

DIST

BERARDINI, J. H. BOGNAR, E. S.

ROCKETT, G. A

DECK, C. A. DEGENHART, K. R. DIETER, T. J. DIETERLE, S. E. FERRERA, D. W.

GIACOMINI. J. J LINDSAY, D. C.

XNG. J. W.

IAGEL R. E IESTA, S. IORTH, K. ARKER, A. M.

RODGERS, A. D. SHELTON, D. C. SPEARS, M. S.

TRICE, K. D. TUOR, N. R. WIEMELT, K

YLE, J L MARTINEZ, L A

BROOKS, L. BUTLER, L Bill Owens, Governor

Douglas H Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr \$ Denver, Colorado 80246-1530 Laboratory and Radiation Services Division 8100 Lowry Blvd.

Phone (303) 692-2000 TDD Line (303) 691-7700 Located in Glendale, Colorado Denver, Colorado 80230-6928 (303) 692-3090

http://www.cdphe.state.co.us

Colorado Department of Public Health and Environment

October 31, 2003

Mr Joseph Legare

Assistant Manager for Environment and Stewardship

Assistant Manager for Environ U.S. Department of Energy Rocky Flats Field Office 10808 Highway 93, Unit A Golden, Colorado 80403-8200

Approval, Industrial Area, Draft Sampling and Analysis Plan Addendum, #IA-03-18, IHSS Group 700-6, (IHHS 137 & 139 1(S)), October 2003

Dear Mr Legare

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management
Division (the Division) hereby grants approval for the subject document
The Division conducted a review of the
document and found it to be acceptable as written
Please submit revised cover materials, showing the approval
date, for the administrative record

Although not specifically pertinent to the investigation and potential remediation of soils, the Division notes that detritus may have collected within the cooling tower "basin" Sample(s), as appropriate, are recommended to support worker safety and waste characterization requirements

If you have any questions regarding this correspondence, please contact me at (303) 692-3367, Harlen Ainscough at 303-692-3337 or David Kruchek at 303-693-3328

COR. CONTROL X
ADMN. RECORD X
PATS/130

Steven H Gunderson RFCA Project Coordinator

Corres Control RFP

Reviewed for Addressee

cc Gary Kleeman, EPA
Norma Castaneda, DOE

Lane Butler, KH

..

Sincerely.

Ref Ltr #

DOE ORDER #

54m.1

Mark Sattelberg, U S F&W Dave Shelton, KH

Administrative Records Building T130G



ADMIN RECORD

IA-A-861701

DOCUMENT CLASSIFICATION CLARFETS\/700-6 (IHSS 137-139 1) #IA-03-18 Approval doc REVIEW WAIVER PER PER CLASSIFIC TION OFFICE EVER